



## SAFETY DATA SHEET

### V18 [BPR]

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

<b>Product name</b>	V18 [BPR]
<b>Product number</b>	R073 EV
<b>Internal identification</b>	Livestock
<b>Synonyms; trade names</b>	BPR Authorisation numbers: UK: UK-2019-1179-02-02 / Ireland: IE/BPA 70448-02-003 / Malta: 2019-09-24-B02
<b>UFI</b>	UFI: 1GRQ-8VWV-022E-65VT

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

<b>Identified uses</b>	Disinfectant for materials and surfaces associated with the housing or transportation of animals.
------------------------	---

##### 1.3. Details of the supplier of the safety data sheet

<b>Supplier</b>	UK Supplier: Evans Vanodine International plc Brierley Road, Walton Summit, Preston. UK. PR5 8AH Tel: 01772 322 200 e-mail: productcompliance@evansvanodine.co.uk	EU Supplier: Evans Vanodine Europe 6-9 Trinity Street, Dublin 2. D02 EY47. Republic of Ireland.
-----------------	---	---

##### 1.4. Emergency telephone number

<b>Emergency telephone</b>	New Safety Data Sheets - 01772 322 200 - Mon to Thur. 8.30am to 4.30pm - Fri 8.30am to 1.30pm (Also available 24/7 from our website <a href="http://www.evansvanodine.co.uk">www.evansvanodine.co.uk</a> ) For Technical Advice about this SDS - 01772 318 818 - Mon to Thur 8.30am to 4.45pm - Fri 8.30am to 1.30pm
----------------------------	--

<b>National emergency telephone number</b>	For Health Care Professionals only - For use in UK: Contact the National Poisons Information Service for further advice. For use in the Republic of Ireland: To report a poisoning incident contact The National Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166). For use in Malta: Emergency services (Ambulance, Fire and Rescue, Police) : 112
--	---

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (SI 2019 No. 720)

<b>Physical hazards</b>	Met. Corr. 1 - H290
<b>Health hazards</b>	Skin Corr. 1B - H314 Eye Dam. 1 - H318
<b>Environmental hazards</b>	Aquatic Chronic 2 - H411

##### 2.2. Label elements

**V18 [BPR]****Hazard pictograms****Signal word**

Danger

**Hazard statements**

H290 May be corrosive to metals.  
 H314 Causes severe skin burns and eye damage.  
 H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements**

P102 Keep out of reach of children.  
 P101 If medical advice is needed, have product container or label at hand.  
 P260 Do not breathe mist.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
 P273 Avoid release to the environment.  
 P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a POISON CENTER/ doctor.  
 P363 Wash contaminated clothing before reuse.  
 P391 Collect spillage.  
 P405 Store locked up.

**Contains**

SULPHURIC ACID, PHOSPHORIC ACID

**Supplementary precautionary statements**

P501 Dispose of contents/ container in accordance with local regulations.

**2.3. Other hazards**

This product does not contain any substances classified as PBT or vPvB.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

<b>ALCOHOL (C9-11) ETHOXYLATE (8EO)</b>	<b>20-25%</b>
CAS number: 68439-46-3	
Alternative CAS Nos 160875-66-1, 68439-45-2	
<b>Classification</b>	
Acute Tox. 4 - H302	
Eye Dam. 1 - H318	
<b>SULPHURIC ACID</b>	<b>5-10%</b>
CAS number: 7664-93-9                      EC number: 231-639-5	
Spec Conc Limits :- Skin Corr. 1A (H314) ≥ 15 %, Skin Irrit.2 (H315) >5% <15 %, Eye Irrit. 2 (H319) >5%<15%	
<b>Classification</b>	
Met. Corr. 1 - H290	
Skin Corr. 1A - H314	
Eye Dam. 1 - H318	

**V18 [BPR]**

<b>PHOSPHORIC ACID</b>	<b>5-10%</b>
CAS number: 7664-38-2	EC number: 231-633-2
Spec Conc Limits :- Skin Corr. 1B (H314) ≥ 25%, Skin Irrit. 2 (H315) >10% <25%, Eye Irrit. 2 (H319) >10%	
<b>Classification</b>	
Acute Tox. 4 - H302	
Skin Corr. 1B - H314	
Eye Dam. 1 - H318	
<b>IODINE</b>	<b>1-3%</b>
CAS number: 7553-56-2	EC number: 231-442-4
M factor (Acute) = 1	
BPR +H410, M factor (Chronic) =1	
<b>Classification</b>	
Acute Tox. 4 - H312	
Acute Tox. 4 - H332	
Skin Irrit. 2 - H315	
Eye Irrit. 2 - H319	
STOT SE 3 - H335	
Aquatic Acute 1 - H400	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

**Composition comments** Plus BPR imposed H & P statements.

#### **SECTION 4: First aid measures**

##### **4.1. Description of first aid measures**

<b>Inhalation</b>	Unlikely route of exposure as the product does not contain volatile substances. If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
<b>Ingestion</b>	Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately.
<b>Skin contact</b>	Wash with plenty of water. Get medical attention promptly if symptoms occur after washing.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention immediately.

##### **4.2. Most important symptoms and effects, both acute and delayed**

<b>General information</b>	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation</b>	Irritation of nose, throat and airway.
<b>Ingestion</b>	May cause chemical burns in mouth and throat.
<b>Skin contact</b>	Burning pain and severe corrosive skin damage. May cause serious chemical burns to the skin.
<b>Eye contact</b>	Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue damage.

##### **4.3. Indication of any immediate medical attention and special treatment needed**

## V18 [BPR]

**Notes for the doctor** Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media** The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

#### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** Thermal decomposition or combustion products may include the following substances:  
Irritating gases or vapours.

#### 5.3. Advice for firefighters

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing, gloves, eye and face protection. For personal protection, see Section 8.

#### 6.2. Environmental precautions

**Environmental precautions** Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

#### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.

#### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions** Wear protective clothing, gloves, eye and face protection. For personal protection, see Section 8.

**Advice on general occupational hygiene** Cover feed and water troughs during product application.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Keep only in the original container in a cool, well-ventilated place. Store away from the following materials: Oxidising materials. Alkalis. Keep away from food, drink and animal feeding stuffs.

#### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

**Usage description** See Product Information Sheet & Label for detailed use of this product.

### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

#### Occupational exposure limits

**SULPHURIC ACID**

## V18 [BPR]

Long-term exposure limit (8-hour TWA): WEL 0,05 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL

### PHOSPHORIC ACID

Long-term exposure limit (8-hour TWA): WEL 1 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 2 mg/m<sup>3</sup>

### IODINE

Short-term exposure limit (15-minute): WEL 0.1 ppm 1.1 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit.

## 8.2. Exposure controls

### Protective equipment



**Appropriate engineering controls**

This product must not be handled in a confined space without adequate ventilation.

**Personal protection**

The following recommendations are based on conditions specified in BPR Authorisation.

**Eye/face protection**

The following protection should be worn: Chemical splash goggles or face shield.

**Hand protection**

To protect hands from chemicals, wear gloves that are proven to be impervious to the chemical and resist degradation.

**Other skin and body protection**

Wear protective clothing. (a protective coverall at least type 4, EN 14605).

**Respiratory protection**

Respiratory protection not required.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Colour</b>	Clear. Dark brown.
<b>Odour</b>	Faint surfactant / Faint Iodine.
<b>pH</b>	pH (concentrated solution): 0
<b>Melting point</b>	-2°C
<b>Initial boiling point and range</b>	102°C @ 760 mm Hg
<b>Flash point</b>	Boils without flashing.
<b>Relative density</b>	1.170 @ 20°C
<b>Solubility(ies)</b>	Soluble in water.

### 9.2. Other information

**Other information** None.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity** Reacts with alkalis and generates heat.

### 10.2. Chemical stability

**V18 [BPR]**

**Stability** No particular stability concerns.

**10.3. Possibility of hazardous reactions**

**Possibility of hazardous reactions** See sections 10.1,10.4 & 10.5

**10.4. Conditions to avoid**

**Conditions to avoid** Avoid exposure to high temperatures or direct sunlight.

**10.5. Incompatible materials**

**Materials to avoid** Aluminium, Tin, Zinc and their alloys. Concentrated alkaline materials. Chlorine releasing materials will liberate toxic chlorine gas. Oxidising agents as Iodine vapour may be evolved.

**10.6. Hazardous decomposition products**

**Hazardous decomposition products** When heated, vapours/gases hazardous to health may be formed.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects**

**Toxicological effects** Figures quoted below were from ATE (Acute Toxicity Estimate) Calculation Methods using LD50 or ATE figures provided by the raw material manufacturer.

**Acute toxicity - oral**

**Notes (oral LD<sub>50</sub>)** Based on available data the classification criteria are not met.

**ATE oral (mg/kg)** 2,310.88

**Acute toxicity - dermal**

**Notes (dermal LD<sub>50</sub>)** Based on available data the classification criteria are not met.

**ATE dermal (mg/kg)** 50,179.99

**Acute toxicity - inhalation**

**Notes (inhalation LC<sub>50</sub>)** Based on available data the classification criteria are not met.

**ATE inhalation (vapours mg/l)** 387.35

**Skin corrosion/irritation**

**Skin corrosion/irritation** Not applicable.

**Serious eye damage/irritation**

**Serious eye damage/irritation** Not applicable.

**Respiratory sensitisation**

**Respiratory sensitisation** Not applicable.

**Skin sensitisation**

**Skin sensitisation** Not applicable.

**Germ cell mutagenicity**

**Genotoxicity - in vitro** Not applicable.

**Carcinogenicity**

**Carcinogenicity** Not applicable.

**Reproductive toxicity**

**Reproductive toxicity - fertility** Not applicable.

## V18 [BPR]

### Specific target organ toxicity - single exposure

**STOT - single exposure** Not applicable.

### Aspiration hazard

**Aspiration hazard** Not relevant.

### **General information**

The "Not Applicable" assigned in this section is due to the fact that the Classification is done by the "Calculation Method" and not by animal testing so have no figures to quote in this section.

## SECTION 12: Ecological information

**Ecotoxicity** BPR = Toxic to aquatic life with long lasting effects. The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.

### 12.1. Toxicity

**Toxicity** No Aquatic Toxicity Data for this product. Any data for ingredients with aquatic toxicity provided by the raw material manufacturer can be made available on request.

### 12.2. Persistence and degradability

**Persistence and degradability** The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in The Detergents Regulations (as amended). and UK Regulation: SI 2020 No. 1617 "The Detergents (Amendment) (EU Exit) Regulations 2020".

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** The product does not contain any substances expected to be bioaccumulating.

### 12.4. Mobility in soil

**Mobility** Not known.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

**Other adverse effects** Not known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal methods** At the end of the treatment used solutions can be flushed to the municipal sewer or disposed to the manure deposit depending on local requirements. Avoid release to an on-site waste water treatment plant.  
Dispose unused product and the packaging in accordance with local and/or national requirements. Avoid release to an on-site waste-water treatment plant.

## SECTION 14: Transport information

### 14.1. UN number

**UN No. (ADR/RID)** 3264

**UN No. (IMDG)** 3264

**UN No. (ICAO)** 3264

### 14.2. UN proper shipping name

**V18 [BPR]**

**Proper shipping name (ADR/RID)** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid & phosphoric acid solution)

**Proper shipping name (IMDG)** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid & phosphoric acid solution)

**Proper shipping name (ICAO)** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid & phosphoric acid solution)

**14.3. Transport hazard class(es)**

**ADR/RID class** Class 8 : Corrosive Substances.

**ADR/RID label** 8

**IMDG class** Class 8: Corrosive substances.

**ICAO class/division** Class 8: Corrosive substances.

**Transport labels****14.4. Packing group**

**ADR/RID packing group** II

**IMDG packing group** II

**ICAO packing group** II

**14.5. Environmental hazards**

**Environmentally hazardous substance/marine pollutant**

**14.6. Special precautions for user**

**EmS** F-A, S-B

**Tunnel restriction code** (E)

**14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code**

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not relevant. for a packaged product.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**



## V18 [BPR]

### EU legislation

Safety Data Sheet prepared in accordance with EU Regulation: "REACH Commission Regulation (EU) No 2015/830 (which amends Regulation (EC) No 453/2010 & 1907/2006)." and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020".

The product is as classified under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020".

Ingredients are listed with classification under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020".

EU Reg: REGULATION (EU) No 528/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 22 May 2012 concerning the making available on the market and use of biocidal products. [BPR] & UK Reg: SI 2020 No. 1567 "The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020".

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

### SECTION 16: Other information

#### Abbreviations and acronyms used in the safety data sheet

PBT: Persistent, Bioaccumulative and Toxic substance.  
 vPvB: Very Persistent and Very Bioaccumulative.  
 ATE: Acute Toxicity Estimate.  
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.  
 IMDG: International Maritime Dangerous Goods.  
 ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.  
 REACH: The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577.  
 GHS: Globally Harmonized System.  
 Spec Conc Limits = Specific Concentration Limits.  
 LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).  
 BPR: Biocidal Product Regulation

#### Classification abbreviations and acronyms

Acute Tox. = Acute toxicity  
 Aquatic Acute = Hazardous to the aquatic environment (acute)  
 Eye Dam. = Serious eye damage  
 Eye Irrit. = Eye irritation  
 Skin Corr. = Skin corrosion  
 Skin Irrit. = Skin irritation  
 STOT SE = Specific target organ toxicity-single exposure

#### Key literature references and sources for data

Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labelling of hazardous substances. ECHA - C&L Inventory database.

#### Classification procedures according to SI 2019 No. 720

Calculation Method. Plus BPR imposed H & P statements.

#### Revision comments

Is now a Marine Pollutant for Transport. (Changes made to sections 14+16)

#### Revision date

07/06/2022

#### Revision

12

## V18 [BPR]

### **SDS status**

The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard Statements relating to this Product see Section 2.

### **Hazard statements in full**

H290 May be corrosive to metals.  
H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H335 May cause respiratory irritation.  
H400 Very toxic to aquatic life.  
H411 Toxic to aquatic life with long lasting effects.